No.



9400139

THE UNITED SHATES OF AMIERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Company

Dierens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S29-11'

In Testimony Abetter, I have hereunto set any hand and caused the seal of the Plant Daviets Arestection Office to be affixed at the City of Washington, D.C. this thirty-first day of October in the year of our Lord one thousand nine hundred and ninety-five.

Allest:

Marsha A. Stanter

Commissioner Plant Variety Protection Office

Secretary of Agriculture

Public reporking burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, ORM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budgettins Property Colleges (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 8381-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURAL MARK	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421).		
APPLICATION FOR PLANT VARIE			Information is held confidential until cartificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate) Northrup King Co.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME
HOLEHEAD KING CO.		X9329, W813808	S29-11
ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
P. O. Box 949			PYPO NUMBER
Washington, Iowa 52353-0949		319-653-2181	9400139
Attention: Dr. John C. Thorne			F Date
			March 31, 1994
GENUS AND SPECIES NAME	7. FAMILY NAME (Bolan	• •	Time
Glycine max	' Leguminosae	!	G A.M. P.M.
CROP KIND NAME (Common Name)	9	DATE OF DETERMINATION	Filing and Examination Fee: E \$ 2, 325.00
Soybean	N	ovember, 19 8 8	1 S 5
) IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORG	ANIZATION (Corporation, pa	rinership, association, etc.)	march 31, 1994
Corporation			C Certificate Fee:
IF INCORPORATED, GIVE STATE OF INCORPORATION	12. 0	ATE OF INCORPORATION	- : 300.00
Delaware		1976	V Date 1/1990
3. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, T	O SERVE IN THIS APPLICAT	ION AND RECEIVE ALL PAPERS	10 (VIIA. 9/17)
Northrup King Co. P. O. Box 949 Washington, Iowa 52353-0949 4. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F. a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. a. X Exhibit E, Statement of the Basis of Applicant's Owners. f. X Seed Sample (2,500 viable untreated seeds). Date See g. X Filing and Examination Fee (\$2,150) made payable to DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SPRINGER OF GENERATIONS? YES (If "YES." answer items 16 and 17 is NUMBER OF GENERATIONS? YES X NO 3. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE NUMBER OF GENERATIONS? YES (If "YES." through Plant Variety Protection Act X NO	ship. Id Sample mailed to Plant "Treasurer of the Umited S SOLO BY VARIETY NAME ONI Defow) IT NO (# S TO 17. IF "YES" FO VARIETY IN THE U.S.?	Variety Protection Office	ee section 83(a) of the Plant Variety JCTION BEYOND BREEDER SEED?
YES (II "YES." give names of countries and dates) NO The applicant(s) declare(s) that a viable sample of basic s request in accordance with such regulations as may be applicant(s) is (are) the owner(s) of the uniform, and stable as required in section 41, and is entited applicant(s) is (are) the owner(s) of the uniform, and stable as required in section 41, and is entited applicant(s) is (are) the owner(s) of the owner(s) is (are) in formally in the following stable as required in section 41, and is entitled as the owner(s) is (are) in formally in the owner(s) in the owner(s) is (are) in the owner(s) in the owne(plicable. s sexually reproduced led to protection under t	novel plant variety, and believ he provisions of section 42 of the	e(s) that the variety is distinct,
Applicant(s) is (are) informed that false representation he	CAPACITY OR		DATE
IGNATURE OF APPLICANT (Owner(s))		Research Director	3-14-94
JOHN THE OF ABBUSANE IS AND IS			DATE
IGNATURE OF APPLICANT (Owner(s))	CAPACITY OR	1116E	

ORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolute

EXHIBIT A

Origin and Breeding History of the Variety

The soybean variety 'S29-11' is derived from the cross 'S31-33' x 'A3307'. The cross was made in the winter of 1986 at the Northrup King Research Center at Waimea, Kauai, Hawaii, by Northrup King Co. soybean research personnel. The F1 generation was grown at the Northrup King Co. Research Center at Washington, Iowa in the summer of 1986. The F2 and F3 generations were grown at Waimea during the winter of 1986-87, and the F4 at Washington in the summer of 1987. The F2 and F3 were advanced by harvesting 2-4 seeds from each plant and planting a 600 seed sample from the bulk. In the fall of 1987 approximately 100 random plants were harvested and threshed individually. The progeny from these plants were grown as F5 plant rows at Washington in the summer of 1988. One of these, numbered W813808, was selected on the basis of agronomic appearance and tested in a preliminary yield trial in 1989. This line was subsequently tested under the temporary designation X9329 and named It has been tested at several central cornbelt U.S. locations from 1990 to 1993 and found to yield well compared to other late Maturity Group II and cultivars. Descriptive traits including white flowers, tawny pubescence, tan pods, and black hilum (up to 2% other hilum color), have been identified and confirmed. S29-11 has been tested in the field for iron-deficiency chlorosis at test sites in Northern Iowa and Southern Minnesota in 1990 through 1993 and found to be have an intermediate reaction compared to varieties of known reaction. It has been tested for reaction to Race 1, 3, 4 and 7 of Phytophthora megasperma using hypocotyl inoculation of greenhouse grown plants and found to be It has been tested for resistance to soybean cyst susceptible. nematode (Heterodera glycines) in the greenhouse at the Northrup King Research Center at Bay, Arkansas, and in an infested field near Conesville, Iowa, and found to be resistant to Races 3 and 14.

In the winter of 1990-91, 300 seeds of S29-11 were planted at Waimea. In May, 100 plants were harvested and threshed individually and their progeny planted at Washington in the summer of 1991 to monitor variability and to produce Pedigree Seed. A few plants with purple flowers or gray pubescence were removed. These plants were assumed to have come from admixture or out-crossing. All rows were uniform and were bulked to produce Pedigree Seed. This seed was planted in 1992 to produce Breeder Seed. The Breeder Seed increase was rogued carefully during flowering and at maturity.

Foundation Seed of S29-11 was produced in 1993 from 1992 Breeder Seed. The Iowa Crop Improvement Association inspected the fields and found them to meet the standards for Foundation Seed. The National Soybean Variety Review Board approved the variety for Certification on December 10, 1993.

S29-11 is a stable and uniform variety. Over five years of testing and three cycles of seed increase, no variants have been observed.

Any off-type plants which were removed from increase fields were assumed to have arisen from admixture or outcrossing.

Varietal purity will be maintained using progeny rows as described above as needed.

EXHIBIT B

Novelty Statement for the Variety

Soybean variety S29-11 is most similar to S28-18. It can be differentiated from S28-18 on the basis of resistance to <u>Heterodera glycines</u>. S28-18 is susceptible to Races 3 and 14 (formerly called Race 4) of <u>Heterodera glycines</u> while S29-11 is resistant.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

(Soybean)

Page 1 of 4

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

30185	4/V (Giycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Northrup King Co.	x9329, W813808	S29-11	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo	le)	FOR OFFICI	AL USE ONLY
P. O. Box 949		PVPO NUMBER	
Washington, Iowa 52353-0949		940	0139
Attention: John Thorne Choose the appropriate response which characterizes the var	ricer in the features described	<u> </u>	
in your answer is fewer than the number of boxes provided,	place a zero in the first box v	vhen number is 9 or less	s (e.g., 0 9).
1. SEED SHAPE:			
2 L W	Ι Τ		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/W ratio > 1.2; L/T rat (L/T ratio > 1.2; T/W >	
2. SEED COAT COLOR: (Mature Seed)			
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			•
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs Intermediate	oy'; 'Gasoy 17'}		
4. SEED SIZE: (Mature Seed)			
1 4 Grams per 100 seeds			•
5. HILUM COLOR: (Mature Seed)			
6 1=Buff 2=Yellow 3=Brown Up to 2% other hilum color	4 = Gray 5 = Imperfect BI	ack 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
2 1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:			•
1 = Green only ('Evans'; 'Davis') 2 = Green wir 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson')		('Woodworth'; 'Tracy')	
10. LEAFLET SHAPE:			er.
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

FORM LMGS-470-57 (2-82)

11. LEAFL	ET SIZE: The state of the state
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')
12. LEAF	OLOR:
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')
13. FLOWE	P. COL CD.
1	1 = White 2 = Purple 3 = White with purple throat
14. POD CC	LOR: 1 = Tan 2 = Brown 3 = Black
15. PLANT	PUBESCENCE COLOR:
2	1 = Gray 2 = Brown (Tawny).
16. PLANT	TYPES:
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')
17. PLANT	IABIT:
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
18. MATUR	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
18. MATUR	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') TY GROUP: I = 000
18. MATUR	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE 0	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE 0	TY GROUP: = 000
18. MATUR 5 19. DISEASE BACTE 0 1	TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE 0 FUNGAL	TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE 0 FUNGAL	TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE 0 FUNGAL	TY GROUP: = 000
18. MATUR 5 19. DISEASE BACTE 0 FUNGAL	TY GROUP: = 000
18. MATUR 5 19. DISEASE BACTE 0 FUNGAL	TY GROUP: = 000
18. MATUR 5 19. DISEASE BACTE 0 FUNGAL 1 0 FUNGAL	TY GROUP: I = 000
18. MATUR 5 19. DISEASE BACTE 0 1 0 0 0 0 0 0 0 0 0 0 0	TY GROUP: 1 = 000

19. DISE	ASE REACTION:	Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)		
FU	NGAL DISEASES:	(Continued)			
	Pod and Stem B	ight (Diaporthe phaseolorum var; sojae)			
1	Purple Seed Stai	n (Cercospora kikuchii)			
0	Rhizoctonia Roc	ot Rot (Rhizoctonia solani)			
<u></u>	Phytophthora R	ot (Phytophthora megasperma var. sojae)	•		
1	Race 1	0 Race 2 1 Race 3 1	Race 4 0 Race 5	0 Race 6 1	Race 7
0	Race 8	O Race 9 Other (Specify)			
VIR	AL DISEASES:				-
1	Bud Blight (Tob	acco Ringspot Virus)			
0	Yellow Mosaic (I	Bean Yellow Mosaic Virus)			
0		Cowpea Chlorotic Virus)	•		
0		Pod Mattle Virus)			
		bean Mosaic Virus)			
لتا	MATODE DISEASE				
IACIA					
		matode (Heterodera glycines)		Race 14 (fo	rmerly calle
	Race 1 0	Race 2 2 Race 3 0	Race 4 2 Other	Specity/	ce 4)
		(Hopiolaimus Colombus)			·
	Southern Root K	not Nematode (Meloidogyne incognita)			
0	Northern Root K	not Nematode (Meloidogyne Hapla)			t .
0	Peanut Root Kno	t Nematode (Meloidogyne arenaria)			
0	Reniform Nemato	ode (Rotylenchulus reniformis)			
	OTHER DISEAS	E NOT ON FORM (Specify):			
					
D. PHYSIC	OLOGICAL RESPO	NSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)		
	Iron Chlorosis on	Calcareous Soil Intermedia	ite Reaction	en e	
	Other (Specify) _		· · · · · · · · · · · · · · · · · · ·	·	
I. INSECT	REACTION: (En	ter 0 = Not Tested; 1 = Susceptible; 2 = Re	esistant)		
		· ·		and the second s	
		er (Empoasca fabae)		the state of the s	
\Box				•	
INDICA		TY MOST CLOSELY RESEMBLES THA			·
	RACTER	NAME OF VARIETY	CHARACTER	NAME OF VARI	ETV
Plant Sh	 	A2872	Seed Coat Luster	S31-33	
Leaf Sha		S29-39	Seed Coat Euster	S28-01	<u> </u>
Leaf Col		S28-18	Seed Shape		er i i i
Leaf Size	,	Jack	Seedling Pigmentation	S28-18	
			The Albaya of the Total Control of the		

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	131	2.3	91	6.9	11.9	40.5	21.5	14.5	2-4
Jack Name of Similar Variety	133	32	105		11.1	39.6	21.8	15.7	2-4

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S29-11 was developed from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King is the sole owner of the variety.